


SAFE WIRELINE RIG UP SYSTEM



Our **unique** new
3-component system
to improve safety
on the Drill Floor

NEW SOLUTIONS FOR WELL INTERVENTION

Safety is an industry challenge especially during well testing, well intervention and work over riser (WOR) operations on floating drilling rigs.


Scan Tech Weak Link Bails system, in combination with the Wireline Safe Beam and new Quick Connect Elevator, minimizes danger to Drill Floor personnel. Moreover, it helps prevent damage to Derrick, Drilling Rig travelling assemblies and load path equipment resulting from Drill String Compensator failure or misuse.

SAFE WIRELINE RIG UP SYSTEM - a three piece system

Scan Tech Weak Link Bails, designed to improve Health & Safety on the Drill floor.




A Wireline Safe Beam with two wirelessly remote controlled 5 tonne winches, for rigging up Wireline equipment without man-riding. By using the Wireline Safe Beam in combination with the Weak Link Bails, the work window between the bails make the wireline work easier and safer.



2

A Quick Connect Elevator to latch on to the Surface Flow Tree, another step towards the personnel free Drill Floor. The newly developed Quick Connect Elevator allows you to assemble your equipment without man-riding or the use of scaffolding.



3

It is up to you, and your needs, to choose one, two or all three parts of this unique system to improve the safety on the Drill Floor.

KEY BENEFITS

- In compliance with NORSOK R-003N
Safe use of Lifting equipment
- In accordance with the following standards:
 - WSB Design Criteria: API 8C (cross)
 - DnV Lifting Appliances (lifting cassettes)
 - DnV 2.7.1. (transport basket)
 - Dropped objects prevention according to "Working together for safety; Best practice in prevention of falling objects"
- Significantly improves operational efficiency by reducing rig up time and crew demand, scaffolding time and cost
- Provides a minimum foot print for deployment (rig hydraulics used for powering Wireline Safe Beam/ Weak Link Bails)
- Improved HSE - larger work window during tool string BHA makeup, no scaffolding, minimised man riding and reduced personnel in Red Zone

For more information regarding the Safe Wireline Rig Up System, please contact:

Morten Øverland
Weak Link Bails Manager
T: + 47 51 54 54 92
E: mov@scan-tech.no

Bjarne Langeteig
Intervention Safety System Manager
T: + 47 91 39 16 04
E: bl@q-i.no

